

WISENET

HDD Compatibility list



SE TEAM
Security Solution Business

Revision 9.5
2020.02.03

Prepared by Hyung Ho Jung
Reviewed by Young Soo Lee
Approved by Hyeok Rae Kim

Contents

| | Page |
|--|----------|
| Model Group List | |
| DVR, AIO, NVR, Server NVR | ----- 3 |
| HDDs currently on the market | |
| 1. 3.5" HDD | |
| 1.1 Seagate : 1 TB | ----- 4 |
| 1.2 Seagate : 2 ~ 3 TB | ----- 5 |
| 1.3 Seagate : 4 ~ 8 TB | ----- 6 |
| 1.4 Western Digital : 1 TB | ----- 7 |
| 1.5 Western Digital : 2 ~ 3 TB | ----- 8 |
| 1.6 Western Digital : 4 ~ 6 TB | ----- 9 |
| 2. Enterprise 3.5" HDD | |
| 2.1 Seagate : 4 ~ 8 TB | ----- 10 |
| 2.2 Western Digital : 4 ~ 8 TB | ----- 10 |
| 3. 2.5" HDD | |
| 3.1 Seagate | ----- 11 |
| 3.2 Western Digital | ----- 11 |
| 3.3 Samsung SSD | ----- 11 |
| 3.4 Micron SSD | ----- 11 |
| 4. Server NVR | |
| 4.1 Seagate 3.5" HDD | ----- 12 |
| Discontinued HDDs (Compatibility Tested) | |
| Appendix 1. Discontinued HDDs List (Seagate) | ----- 13 |
| Appendix 2. Discontinued HDDs List (Western Digital) | ----- 17 |
| Appendix 3. Enterprise 3.5" Discontinued HDDs List (Seaga | ----- 22 |
| Appendix 4. Discontinued Models List (Seagate) | ----- 23 |
| Appendix 5. Discontinued Models List (Western Digital) | ----- 26 |

※ Model Group List

| | Group | Model |
|------------|--------------------------|--|
| DVR | HRD-1641 | HRD-841, SRD-476D/476/482/494/1684/893/493, SRD-C75300/C74300/B73300 |
| | HRD-1642 | SRD-1694, SRD-1685/1694U, HRD-842 |
| | HRD-E1630L | SDR-B74031/B75303/B85300, HRD-440/442/840 |
| | HRD-E830L | SDR-B74303 |
| | HRD-E430L | SDR-B73303, SNR-73200 |
| | HRD-443 | |
| | HRX-1621 | HRX-821 |
| | HRX-1620 | HRX-820 |
| | HRX-421 | HRX-420 |
| NVR | SRN-1673S | SRN-K3570S, VPM-6400, SRK-5120S |
| | SRN-873S | SRN-473S/K3370S/K3470S, SRK-4060S, VPM-5400/4400 |
| | XRN-2010 | XRN-2010A XRN-1610SA/XRN-1610A/XRN-1610S/XRN-1610 XRN-3010A /XRN-3010, KRN-1600/3200 |
| | XRN-2011 | XRN-2011A |
| | PRN-4011 | |
| | QRN-1610S | XRN-810S, ENR-1600S, LRN-1610S |
| | QRN-810S | XRN-410S, QRN-810, QRN-410, QRN-410S, ENR-800S, ENR-400S, QRN-820S , QRN-420S |
| | XRN-811S | |
| | TRM-1610S | TRM-1610M |
| | TRM-810S | |
| | TRM-410S | |
| Server NVR | LRN-810S | LRN-410S |
| | PRP-4000H8 | |
| | PRP-5000H16 | |
| | PRP-3000H8 | |
| External | XAR-1600H4 | |
| | SRB-160S | |

1. 3.5" HDD

Status

Under Test

Tested

New

Conditional

Not Supported

- ※ NON-RAID mode is recommended for the HDDs listed below.
 ※ To use RAID mode for these models, Enterprise HDDs are recommended.
 ※ HDD SMART temperature is recommended to be kept below 65 °C.

1.1 Seagate : 1 TB

4

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|---------------|--------------|-------------|---|---|---|---|---|---|---|----|
| HDD | Capacity | 1 TB | 1 TB | | | | | | | | |
| | Series name | Surveillance | Sky Hawk | | | | | | | | |
| | Model name | ST1000VX001 | ST1000VX005 | | | | | | | | |
| | (Part Number) | (1Z4102) | (2EZ102) | | | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | | | | | | | | |
| | Buffer | 64MB | 64MB | | | | | | | | |
| DVR | HRD-1641 | √ | √ | | | | | | | | |
| | HRD-1642 | √ | √ | | | | | | | | |
| | HRD-E1630L | √ | √ | | | | | | | | |
| | HRD-E830L | Not tested | | | | | | | | | |
| | HRD-E430L | Not tested | | | | | | | | | |
| | HRD-443 | Not tested | | | | | | | | | |
| NVR | SRN-1673S | √ | √ | | | | | | | | |
| | SRN-873S | √ | √ | | | | | | | | |
| | XRN-2010 | √ | √ | | | | | | | | |
| | XRN-2011 | √ | √ | | | | | | | | |
| | PRN-4011 | Not tested | | | | | | | | | |
| | QRN-1610S | √ | √ | | | | | | | | |
| | QRN-810S | √ | √ | | | | | | | | |
| | XRN-811S | Not tested | | | | | | | | | |

1. 3.5" HDD

Status

Under Test

Tested

New

Conditional

Not Supported

※ NON-RAID mode is recommended for the HDDs listed below.

※ To use RAID mode for these models, Enterprise HDDs are recommended.

※ HDD SMART temperature is recommended to be kept below 65 °C.

1.2 Seagate : 2 ~ 3 TB

※ Caution : Check the entire model name and Part Number

5

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|---------------|--------------|-------------|---------------|---------------|---|---|---|---|---|----|
| HDD | Capacity | 2 TB | 2 TB | 3 TB | 3 TB | | | | | | |
| | Series name | Surveillance | Sky Hawk | Surveillance | Sky Hawk | | | | | | |
| | Model name | ST2000VX003 | ST2000VX008 | ST3000VX006 | ST3000VX010 | | | | | | |
| | (Part Number) | (1HH164) | (2E3164) | (1HH166) | (2E3166) | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | | | | | | |
| DVR | HRD-1641 | √ | √ | √ | √ | | | | | | |
| | HRD-1642 | √ | √ | √ | √ | | | | | | |
| | HRD-E1630L | √ | √ | √ | √ | | | | | | |
| | HRD-E830L | √ | √ | Not tested | | | | | | | |
| | HRD-E430L | √ | √ | √ | √ | | | | | | |
| | HRD-443 | Not tested | | √ | √ | | | | | | |
| | HRX-1621 | | | √ | √ | | | | | | |
| | HRX-1620 | | | √ | √ | | | | | | |
| | HRX-421 | | | √ | √ | | | | | | |
| NVR | SRN-1673S | √ | √ | √ | √ | | | | | | |
| | SRN-873S | √ | √ | √ | √ | | | | | | |
| | XRN-2010 | √ | √ | √ | √ | | | | | | |
| | XRN-2011 | Not tested | | Not Supported | Not Supported | | | | | | |
| | PRN-4011 | √ | √ | √ | √ | | | | | | |
| | QRN-1610S | √ | √ | √ | √ | | | | | | |
| | QRN-810S | √ | √ | √ | √ | | | | | | |
| | XRN-811S | Not tested | | √ | √ | | | | | | |
| | LRN-810S | √ | √ | | | | | | | | |

1. 3.5" HDD

Status

Under Test

Tested

New

Conditional

Not Supported

※ NON-RAID mode is recommended for the HDDs listed below.

※ To use RAID mode for these models, Enterprise HDDs are recommended.

※ HDD SMART temperature is recommended to be kept below 65 °C.

1.3 Seagate : 4 ~ 8 TB

※ Caution : Check the entire model name and Part Number

6

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|---------------|--------------|-------------|---------------|---------------|---------------|---------------|---|---|---|----|
| HDD | Capacity | 4 TB | 4 TB | 6 TB | 6 TB | 8 TB | 8 TB | | | | |
| | Series name | Surveillance | Sky Hawk | Surveillance | Sky Hawk | Surveillance | Sky Hawk | | | | |
| | Model name | ST4000VX000 | ST4000VX007 | ST6000VX0003 | ST6000VX0023 | ST8000VX0002 | ST8000VX0022 | | | | |
| | (Part Number) | (2AG166) | (2DT166) | (1ZH110) | (2EF110) | (1Z6112) | (2EJ112) | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | |
| | Buffer | 64MB | 64MB | 256MB | 256MB | 256MB | 256MB | | | | |
| DVR | HRD-1641 | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | HRD-1642 | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | HRD-E1630L | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | HRD-E830L | √ | √ | Not tested | | Not Supported | Not Supported | | | | |
| | HRD-E430L | Not tested | | √ | √ | Not Supported | Not Supported | | | | |
| | HRD-443 | Not tested | | √ | √ | Not Supported | Not Supported | | | | |
| | HRX-1621 | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | HRX-1620 | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | HRX-421 | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| NVR | SRN-1673S | v1.02(↑) | v1.02(↑) | √ | √ | Not Supported | Not Supported | | | | |
| | SRN-873S | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | XRN-2010 | √ | √ | √ | √ | √ | √ | | | | |
| | XRN-2011 | √ | √ | √ | √ | √ | √ | | | | |
| | PRN-4011 | √ | √ | √ | √ | √ | √ | | | | |
| | QRN-1610S | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | | | |
| | QRN-810S | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | | | |
| | XRN-811S | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | | | |
| | LRN-810S | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | | | |
| External Storage | SRB-160S | √ | √ | √ | √ | √ | √ | | | | |

1. 3.5" HDD

Status

Under Test

Tested

New

Conditional

Not Supported

- ※ NON-RAID mode is recommended for the HDDs listed below.
 ※ To use RAID mode for these models, Enterprise HDDs are recommended.
 ※ HDD SMART temperature is recommended to be kept below 65 °C.

1.4 Western Digital : 1 TB

※ Caution : Check the entire model name

7

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|-------------|------------------|------------------|------------------|------------------|---|---|---|---|---|----|
| HDD | Capacity | 1 TB | 1 TB | 1 TB | 1 TB | | | | | | |
| | Series name | WD Purple | WD Purple | WD Purple | WD Purple | | | | | | |
| | Model name | WD10PURX-64E5EY0 | WD10PURX-64KC9Y0 | WD10PURZ-85U8XY0 | WD10EJRX-89N74Y0 | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | | | | | | |
| DVR | HRD-1641 | √ | √ | √ | √ | | | | | | |
| | HRD-1642 | √ | √ | √ | √ | | | | | | |
| | HRD-E1630L | √ | √ | √ | √ | | | | | | |
| | HRD-E830L | √ | √ | √ | √ | | | | | | |
| | HRD-E430L | √ | √ | √ | √ | | | | | | |
| | HRD-443 | √ | √ | √ | √ | | | | | | |
| NVR | SRN-1673S | √ | √ | √ | √ | | | | | | |
| | SRN-873S | √ | √ | √ | √ | | | | | | |
| | XRN-2010 | √ | √ | √ | √ | | | | | | |
| | XRN-2011 | √ | √ | √ | √ | | | | | | |
| | PRN-4011 | √ | √ | √ | √ | | | | | | |
| | QRN-1610S | √ | √ | √ | √ | | | | | | |
| | QRN-810S | √ | √ | √ | √ | | | | | | |
| | XRN-811S | √ | √ | √ | √ | | | | | | |

1. 3.5" HDD

Status

Under Test

Tested

New

Conditional

Not Supported

※ NON-RAID mode is recommended for the HDDs listed below.

※ To use RAID mode for these models, Enterprise HDDs are recommended.

※ HDD SMART temperature is recommended to be kept below 65 °C.

1.5 Western Digital : 2 ~ 3 TB

※ Caution : Check the entire model name

8

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|-------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----|
| HDD | Capacity | 2 TB | 2 TB | 2 TB | 2 TB | 3 TB | 3 TB | 3 TB | 3 TB | | |
| | Series name | WD Purple | | |
| | Model name | WD20PURX-64P6ZY0 | WD20PURX-64PFUY0 | WD20PURZ-85GU6Y0 | WD20EJRX-89G3VY0 | WD30PURX-64P6ZY0 | WD30PURX-64PFUY0 | WD30PURZ-85GU6Y0 | WD30EJRX-89G3VY0 | | |
| | Interface | SATA 6Gb/s | | |
| | Buffer | 64MB | | |
| DVR | HRD-1641 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRD-1642 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRD-E1630L | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRD-E830L | √ | √ | √ | √ | Not tested | | | | | |
| | HRD-E430L | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRD-443 | √ | √ | √ | √ | Not tested | | | | | |
| | HRX-1621 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRX-1620 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRX-421 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| NVR | SRN-1673S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRN-873S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | XRN-2010 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | XRN-2011 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | PRN-4011 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | QRN-1610S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | QRN-810S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | XRN-811S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | LRN-810S | √ | √ | √ | √ | √ | √ | √ | √ | | |

1. 3.5" HDD

| Status | Under Test | Tested | New | Conditional | Not Supported |
|--------|------------|--------|-----|-------------|---------------|
|--------|------------|--------|-----|-------------|---------------|

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

1.6 Western Digital : 4 ~ 6 TB

※ Caution : Check the entire model name

9

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|-------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----|
| HDD | Capacity | 4 TB | 4 TB | 4 TB | 4 TB | 6 TB | 6 TB | 6 TB | 6 TB | | |
| | Series name | WD Purple | | |
| | Model name | WD40PURX-64NZ6Y0 | WD40PURX-64N96Y0 | WD40EJRX-89T1XY0 | WD40EJRX-89T1XY0 | WD60PURX-64T0ZY1 | WD60PURX-64T0ZY1 | WD60PURZ-85ZUFY1 | WD60EJRX-89MP9Y1 | | |
| | Interface | SATA 6Gb/s | | |
| | Buffer | 64MB | | |
| DVR | HRD-1641 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRD-1642 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRD-E1630L | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRD-E830L | √ | √ | √ | √ | Not tested | | | | | |
| | HRD-E430L | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRD-443 | √ | √ | √ | √ | Not tested | | | | | |
| | HRX-1621 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRX-1620 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | HRX-421 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| NVR | SRN-1673S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRN-873S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | XRN-2010 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | XRN-2011 | Not Supported | | |
| | PRN-4011 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | QRN-1610S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | QRN-810S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | XRN-811S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | LRN-810S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| External Storage | SRB-160S | √ | √ | √ | √ | Not Supported | | | | | |

1.6 Western Digital : 8 TB

※ Caution : Check the entire model name

9

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|-------------|------------------|------------------|------------------|------------------|------------------|------------------|---|---|---|----|
| HDD | Capacity | 8 TB | | | | |
| | Series name | WD Purple | | | | |
| | Model name | WD81PURX-64U9SY0 | WD81PURZ-85LWMY0 | WD81EJRX-89DBHY0 | WD82PURX-64GVLY0 | WD82PURZ-85TEUY0 | WD82EJRX-89AD9Y0 | | | | |
| | Interface | SATA 6Gb/s | | | | |
| | Buffer | 256MB | 256MB | 256MB | 256MB | 256MB | 256MB | | | | |
| NVR | XRN-2010 | √ (※ 1) | √ (※ 1) | √ (※ 1) | √ (※ 1) | √ (※ 1) | √ (※ 1) | | | | |
| | XRN-2011 | Not Supported | | | | |
| | PRN-4011 | √ (※ 1) | √ (※ 1) | √ (※ 1) | √ (※ 1) | √ (※ 1) | √ (※ 1) | | | | |
| External Storage | SRB-160S | √ | √ | √ | | | | | | | |

※ 1. HDD SMART temperature is recommended to be kept below 65 °C.

2. Enterprise 3.5" HDD

Status

Under Test

Tested

New

Conditional

Not Supported

※ To use RAID mode for these models, Enterprise HDDs are recommended.

※ HDD SMART temperature is recommended to be kept below 60 °C.

2.1 Seagate : 4 ~ 8 TB

10

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|-----------------|-------------------------|-------------------------|-------------------------|---|---|---|---|---|---|----|
| HDD | Capacity | 4 TB | 6 TB | 8 TB | | | | | | | |
| | Series name | Enterprise Capacity 3.5 | Enterprise Capacity 3.5 | Enterprise Capacity 3.5 | | | | | | | |
| | Model name | ST4000NM0035 | ST6000NM0115 | ST8000NM0055 | | | | | | | |
| | PN(Part Number) | | 1YZ110-002 | 1RM112-002 | | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | | | |
| | Buffer | 128MB | 256MB | 256MB | | | | | | | |
| | | | | | | | | | | | |
| NVR | XRN-2011 | Not tested | √ | Not Supported | | | | | | | |
| | PRN-4011 | √ | √ | √ | | | | | | | |
| External Storage | SRB-160S | √ | √ | √ | | | | | | | |

2.2 Western Digital : 4 ~ 8 TB

10

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|------------------|-------------|--------------|---------------|--------------|--------------|---------------|---|---|---|----|
| HDD | Capacity | 4 TB | 6 TB | 8 TB | 4 TB | 6 TB | 8 TB | | | | |
| | Series name | UltraStar | UltraStar | UltraStar | UltraStar | UltraStar | UltraStar | | | | |
| | Model name | HUS726T4TAL | HUS726T6TALE | HUS728T8TALE | HUS726T4TALE | HUS726T6TALE | HUS728T8TALE | | | | |
| | P/N(Part Number) | 0B35950 | 0B36039 | 0B36404 | 0B36040 | 0B36039 | 0B36404 | | | | |
| | F/W(Firmware) | 40H | 40H | 410 | 460 | 460 | 460 | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | |
| | Buffer | 256MB | 256MB | 256MB | 256MB | 256MB | 256MB | | | | |
| NVR | XRN-2011 | √ (※ 1) | √ (※ 1) | Not Supported | √ (※ 1) | √ (※ 1) | Not Supported | | | | |
| | PRN-4011 | √ | √ | √ | √ | √ | √ | | | | |
| External Storage | SRB-160S | | | | √ | √ | √ | | | | |

※ 1. HDD SMART temperature is recommended to be kept below 60 °C.

3. 2.5" HDD

Status

Under Test

Tested

New

Conditional

Not Supported

3.1 Seagate

11

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|-------------|-------------|---------------|----------------------|---|---|---|---|---|---|----|
| HDD | Capacity | 1 TB | 2 TB | | | | | | | | |
| | Series name | Momentus | Spinpoint M9T | | | | | | | | |
| | Model name | ST1000LM024 | ST2000LM003 | | | | | | | | |
| | Interface | SATA 3Gb/s | SATA 6Gb/s | | | | | | | | |
| | Buffer | 16MB | 32MB | | | | | | | | |
| NVR | SRM-872 | ✓ | ✓ | (Discontinued Model) | | | | | | | |
| | TRM-1610S | | | | | | | | | | |

3.2 Western Digital

11

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|-------------|--------------------|--------------------|-----------------|----------------------|---|---|---|---|---|----|
| HDD | Capacity | 500 GB | 500 GB | 1 TB | | | | | | | |
| | Series name | AV-25 | AV-25 | AV-25 | | | | | | | |
| | Model name | WD5000LUCT-63C26Y0 | WD5000LUCT-63RC2Y0 | WD10JUCT-63CNY0 | | | | | | | |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | | | | | | | |
| | Buffer | 16MB | 16MB | 16MB | | | | | | | |
| NVR | SRM-872 | ✓ | ✓ | ✓ | (Discontinued Model) | | | | | | |
| | TRM-1610S | | ✓ | ✓ | | | | | | | |
| | TRM-810S | | ✓ | ✓ | | | | | | | |
| | TRM-410S | | ✓ | ✓ | | | | | | | |

3.3 Samsung SSD

11

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|-------------|----------------------|-------------|-------------|-------------|-------------|---|---|---|---|----|
| HDD | Capacity | 1 TB | 2 TB | 512 GB | 1 TB | 2 TB | | | | | |
| | Series name | SSD 850 PRO | SSD 850 PRO | SSD 860 PRO | SSD 860 PRO | SSD 860 PRO | | | | | |
| | Model name | MZ-7KE1T0 | MZ-7KE2T0 | MZ-76P512 | MZ-76P1T0 | MZ-76P2T0 | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | |
| | Buffer | - | - | - | - | - | | | | | |
| NVR | SRM-872 | (Discontinued Model) | | | | | | | | | |
| | TRM-1610S | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| | TRM-810S | | | ✓ | ✓ | ✓ | | | | | |
| | TRM-410S | | | ✓ | ✓ | ✓ | | | | | |

3.4 Micron SSD

11

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|-------------|---------------|---|---|---|---|---|---|---|---|----|
| HDD | Capacity | 256 GB | | | | | | | | | |
| | Series name | M500IT | | | | | | | | | |
| | Model name | MTFDDAK256MBD | | | | | | | | | |
| | Interface | SATA 6Gb/s | | | | | | | | | |
| | Buffer | - | | | | | | | | | |
| NVR | TRM-1610S | ✓ | | | | | | | | | |
| | TRM-810S | ✓ | | | | | | | | | |
| | TRM-410S | ✓ | | | | | | | | | |

4. Server NVR

4.1 Seagate 3.5" HDD

Status

Under Test

Tested

New

Conditional

Not Supported

12

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------|-------------|---------------|--------------|---|---|---|---|---|---|---|----|
| HDD | Capacity | 10 TB | 6 TB | | | | | | | | |
| | Series name | Sky Hawk | Surveillance | | | | | | | | |
| | Model name | ST10000VX0004 | ST6000VX0003 | | | | | | | | |
| | Part Number | | (1ZH110) | | | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | | | | | | | | |
| | Buffer | 256MB | 128MB | | | | | | | | |
| Server NVR | PRP-4000H8 | √ | √ | | | | | | | | |
| | PRP-5000H16 | √ | √ | | | | | | | | |
| | PRP-3000H8 | | √ | | | | | | | | |

※ 1. HDD SMART temperature is recommended to be kept below 65 °C.

4.2 Seagate 3.5" HDD (NON-RAID Model)

12

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------|-------------|--------------|------------------|------------------|---|---|---|---|---|---|----|
| HDD | Capacity | 4 TB | 4 TB | 6 TB | | | | | | | |
| | Series name | Surveillance | WD Purple | WD Purple | | | | | | | |
| | Model name | ST4000VX000 | WD40PURX-64N96Y0 | WD60PURX-64WY0Y1 | | | | | | | |
| | Part Number | (2AG166) | - | - | | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | | | |
| | Buffer | 64MB | 64MB | 64MB | | | | | | | |
| Server NVR | XAR-1600H4 | √ | √ | √ | | | | | | | |
| | | | | | | | | | | | |

※ 1. HDD SMART temperature is recommended to be kept below 65 °C.

Appendix 1. Discontinued HDDs List (Seagate)

| Status | EOL | Conditional | Not Supported |
|--------|-----|-------------|---------------|
|--------|-----|-------------|---------------|

A1.1 Seagate (250 ~ 500 GB) ※ The Video 3.5 line of HDDs has been discontinued, thus moved to the Discontinued Models list.

13

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|-----------------------------|---------------|-------------|-------------|-------------|---------------|-------------------------|---------------|---|---|----|
| HDD | Capacity | 250 GB | 250 GB | 500 GB | 500 GB | 500 GB | 500 GB | | | | |
| | Series name | SV35.5 Series | Video 3.5 | Pipeline HD | SV35 Series | SV35.5 Series | Video 3.5 | | | | |
| | Model name (Part Number) | ST3250311SV | ST3250312CS | ST3500312CS | ST3500411SV | ST3500410SV | ST3500414CS (9GW142) | | | | |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | | | | |
| | Buffer | 8MB | 8MB | 8MB | 16MB | 16MB | 16MB | | | | |
| DVR | SRD-1670D | ✓ | ✓ | v1.06(↑) | v1.06(↑) | ✓ | | | | | |
| | SRD-1630D | ✓ | ✓ | v1.06(↑) | v1.06(↑) | ✓ | | | | | |
| | SRD-470D | | ✓ | v1.06(↑) | v1.06(↑) | ✓ | | | | | |
| | SRD-1652D | | v1.01(↑) | v1.01(↑) | v1.01(↑) | ✓ | | | | | |
| | SRD-440 | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |
| | SRD-1640 | | ✓ | | ✓ | | | | | | |
| | SRD-442 | | ✓ | | ✓ | | | | | | |
| | SRD-1673D | | ✓ | | | | ✓ | | | | |
| | SRD-1654D | | ✓ | | | | ✓ | | | | |
| | SRD-473D | | ✓ | | | | | | | | |
| | SRD-443 | | | | | | ✓ | | | | |
| | SRD-1680D | | | | | | | | | | |
| | SRD-1642 | | | | | | ✓ | | | | |
| | SRD-842 | | | | | | ✓ | | | | |
| | SRD-1676D | | | | | | ✓ | | | | |
| | SRD-876D | | | | | | ✓ | | | | |
| | SRD-476D | | | | | | ✓ | | | | |
| | SRD-445 | | | | | | ✓ | | | | |
| | SRD-482 | | | | | | ✓ | | | | |
| | SRD-1694 | | | | | | ✓ | | | | |
| | SRD-894 | | | | | | | | | | |
| | SRD-494 | | | | | | | | | | |
| | SRD-1694U | | | | | | ✓ | | | | |
| | HRD-E1630L | | | | | | | | | | |
| | HRD-E830L | | | | | | | | | | |
| | HRD-E430L | | | | | | | | | | |
| | HRD-1642 | | | | | | ✓ | | | | |
| | HRD-842 | | | | | | | | | | |
| | HRD-442 | | | | | | | | | | |
| | HRD-443 | | | | | | | | | | |
| AIO | SDR-5102 | | | | | | ✓ | | | | |
| | SDR-4102 | | | | | | ✓ | | | | |
| | SDR-3102 | | | | | | ✓ | | | | |
| | SDR-C5300 | | | | | | ✓ | | | | |
| | SDR-B3300 | | | | | | ✓ | | | | |
| | SDR-C75300 | | | | | | ✓ | | | | |
| | SDR-C74300 | | | | | | | | | | |
| | SDR-B73300 | | | | | | | | | | |
| | SDR-B74031 | | | | | | ✓ | | | | |
| | SNR-D5401 | | | | | | ✓ | | | | |
| NVR | SNR-73200 | | | | | | | | | | |
| | SRN-470D | | ✓ | ✓ | ✓ | | ✓ | | | | |
| | SRN-1670D | | ✓ | ✓ | ✓ | | ✓ | | | | |
| | SRN-1000 | | | | | | ✓ | | | | |
| | SRN-4000 | | | | | | | Not Supported | | | |
| | SRN-472S | | | | | | ✓ | | | | |
| | SRN-1673S | | | | | | ✓ | | | | |
| | SRN-873S | | | | | | ✓ | | | | |
| | SRN-473S | | | | | | ✓ | | | | |
| | XRN-2010 | | | | | | | | | | |
| | XRN-2011 | | | | | | | | | | |
| | XRN-1610S | | | | | | | | | | |
| | PRN-4011 | | | | | | | | | | |
| | XRN-3010 | | | | | | ✓ | | | | |
| External Storage | XRN-810S | | | | | | | Not Supported | | | |
| | XRN-410S | | | | | | | Not Supported | | | |
| | SVS-5E | | | | ✓ | | | ✓ | | | |

Appendix 1. Discontinued HDDs List (Seagate)

Status

EOL

Conditional

Not Supported

A1.2 Seagate (1 TB) ※ The Video 3.5 line of HDDs has been discontinued, thus moved to the Discontinued Models list.

14

| HDD | NO | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|------------------|-----------------------------|--------------|---------------|---------------|--------------|-------------------------|----------------------|---------------|------------------|-------------------------|-------------------------|
| | Capacity | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB |
| | Series name | Pipeline HD | Pipeline HD.2 | SV35.5 Series | SV35 Series | Video 3.5 | Constellation ES7200 | SV35.3 Series | Constellation ES | Surveillance | Sky Hawk |
| | Model name (Part Number) | ST31000322CS | ST31000424CS | ST31000525SV | ST31000526SV | ST1000VM002 (1ET162) | ST31000524NS | ST31000340SV | ST1000NM0011 | ST1000VX001 (1HH162) | ST1000VX005 (2E3162) |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s |
| | Buffer | 8MB | 16MB | 32MB | 32MB | 64MB | 32MB | 32MB | 64MB | 64MB | 64MB |
| DVR | SRD-1670D | v1.06(↑) | √ | √ | v1.06(↑) | | √ | √ | | | |
| | SRD-1630D | v1.06(↑) | √ | √ | v1.06(↑) | | √ | √ | | | |
| | SRD-470D | v1.06(↑) | √ | √ | v1.06(↑) | | √ | √ | | | |
| | SRD-1652D | v1.01(↑) | v1.01(↑) | | v1.01(↑) | | | | | | |
| | SRD-440 | √ | √ | √ | √ | | | √ | | | |
| | SRD-1640 | | √ | | √ | | | | | | |
| | SRD-442 | | √ | | √ | | | | | | |
| | SRD-1673D | | | | | √ | | | | | |
| | SRD-1654D | | | | | √ | | | | | |
| | SRD-473D | | | | | | | | | | |
| | SRD-443 | | | | | √ | | | | √ | √ |
| | SRD-1680D | | | | | | | | | | |
| | SRD-1642 | | | | | √ | | | | √ | √ |
| | SRD-842 | | | | | √ | | | | √ | √ |
| | SRD-1676D | | | | | √ | | | | √ | √ |
| | SRD-876D | | | | | √ | | | | | |
| | SRD-476D | | | | | √ | | | | | |
| | SRD-445 | | | | | √ | | | | | |
| | SRD-482 | | | | | √ | | | | | |
| | SRD-1694 | | | | | √ | | | | √ | √ |
| | SRD-894 | | | | | √ | | | | | |
| | SRD-494 | | | | | √ | | | | | |
| | SRD-1694U | | | | | √ | | | | | |
| AIO | HRD-E1630L | | | | | | | | | √ | √ |
| | HRD-E830L | | | | | | | | | √ | √ |
| | HRD-E430L | | | | | | | | | √ | √ |
| | HRD-1642 | | | | | | | | | | |
| | HRD-842 | | | | | | | | | | |
| | HRD-442 | | | | | | | | | | |
| | HRD-443 | | | | | | | | | | |
| | SDR-5102 | | | | | | √ | | | | |
| | SDR-4102 | | | | | | √ | | | | |
| | SDR-3102 | | | | | | √ | | | | |
| | SDR-C5300 | | | | | | √ | | | | |
| NVR | SDR-B3300 | | | | | | √ | | | | |
| | SDR-C75300 | | | | | | √ | | | | |
| | SDR-C74300 | | | | | | | | | | |
| | SDR-B73300 | | | | | | | | | | |
| | SDR-B74031 | | | | | | √ | | | | |
| | SNR-D5401 | | | | | | | | | | |
| | SNR-73200 | | | | | | | | | | |
| | SRN-470D | √ | √ | | √ | | | | | | |
| | SRN-1670D | √ | √ | | √ | √ | | | | √ | √ |
| | SRN-1000 | | √ | | | √ | | | | √ | √ |
| | SRN-4000 | | | | | √ | | | √ | √ | √ |
| | SRN-472S | | | | | √ | | | | √ | √ |
| | SRN-1673S | | | | | √ | | | | √ | √ |
| | SRN-873S | | | | | √ | | | | √ | √ |
| | SRN-473S | | | | | √ | | | | √ | √ |
| | XRN-2010 | | | | | √ | | | | | |
| | XRN-2011 | | | | | | | | | | |
| | XRN-1610S | | | | | | | | | | |
| | PRN-4011 | | | | | √ | | | | √ | √ |
| | XRN-3010 | | | | | √ | | | | | |
| | XRN-810S | | | | | √ | | | | √ | √ |
| | XRN-410S | | | | | √ | | | | √ | √ |
| External Storage | SVS-5E | | √ | | | √ | | √ | | | |

Appendix 1. Discontinued HDDs List (Seagate)

Status EOL Conditional Not Supported

A1.3 Seagate (2 ~ 4 TB) ※ The Video 3.5 line of HDDs has been discontinued, thus moved to the Discontinued Models list.

15

| HDD | NO | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|------------------|-----------------------------|-------------------------|-------------|-------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|----|
| | Capacity | 1 TB | 2 TB | 2 TB | 2 TB | 2 TB | 3 TB | 3 TB | 3 TB | 4 TB | |
| | Series name | SV35.6 Series | SV35 Series | Pipeline HD | Video 3.5 | SV35.6 Series | Video 3.5 | SV35.6 Series | Surveillance | Video 3.5 | |
| | Model name (Part Number) | ST1000VX000 (1ES162) | ST2000VX002 | ST2000VM002 | ST2000VM003 (1ET164) | ST2000VX000 (1ES164) | ST3000VM002 (1ET166) | ST3000VX000 (1ES166) | ST3000VX002 (1F416R) | ST4000VM000 (1F3168) | |
| | Interface | SATA 6Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | |
| DVR | SRD-1670D | | v1.06(↑) | v1.06(↑) | | | | | | | |
| | SRD-1630D | | v1.06(↑) | v1.06(↑) | | | | | | | |
| | SRD-470D | | v1.06(↑) | v1.06(↑) | | | | | | | |
| | SRD-1652D | | v1.01(↑) | v1.01(↑) | | | | | | | |
| | SRD-440 | | √ | √ | | | | | | | |
| | SRD-1640 | | √ | √ | | | | | | | |
| | SRD-442 | | √ | √ | | | | | | | |
| | SRD-1673D | | √ | √ | √ | | √ | | | √ | |
| | SRD-1654D | | | √ | √ | | √ | | | √ | |
| | SRD-473D | | | √ | | | | | | | |
| | SRD-443 | √ | | | √ | √ | √ | √ | √ | √ | |
| | SRD-1680D | | | | | | | | | | |
| | SRD-1642 | √ | | | √ | √ | √ | √ | √ | √ | |
| | SRD-842 | √ | | | √ | √ | √ | √ | √ | √ | |
| | SRD-1676D | √ | | | √ | √ | √ | √ | √ | √ | |
| | SRD-876D | | | | √ | | √ | | | √ | |
| | SRD-476D | | | | √ | | √ | | | √ | |
| | SRD-445 | | | | √ | | √ | | | √ | |
| | SRD-482 | | | | √ | | √ | | | √ | |
| | SRD-1694 | | | | √ | √ | √ | √ | √ | √ | |
| | SRD-894 | √ | | | √ | √ | | √ | | √ | |
| | SRD-494 | | | | √ | √ | | √ | √ | √ | |
| | SRD-1694U | | | | √ | √ | √ | √ | √ | | |
| | HRD-E1630L | | | | | | | √ | √ | | |
| | HRD-E830L | | | | | √ | | | √ | | |
| | HRD-E430L | | | | | | | | √ | | |
| | HRD-1642 | | | | | | | | | | |
| | HRD-842 | | | | | | √ | | | | |
| | HRD-442 | | | | | | | | | | |
| | HRD-443 | | | | | | √ | | √ | | |
| AIO | SDR-5102 | | | | √ | | √ | | | √ | |
| | SDR-4102 | | | | √ | | √ | | | √ | |
| | SDR-3102 | | | | √ | | √ | | | √ | |
| | SDR-C5300 | | | | √ | | √ | | | √ | |
| | SDR-B3300 | | | | √ | | √ | | | √ | |
| | SDR-C75300 | | | | √ | | √ | | | √ | |
| | SDR-C74300 | | | | √ | | √ | | | √ | |
| | SDR-B73300 | | | | √ | | √ | | | | |
| | SDR-B74031 | | | | √ | | √ | | | √ | |
| | SNR-D5401 | | | | | | | | | | |
| | SNR-73200 | | | | | | | | | | |
| NVR | SRN-470D | | √ | √ | | | | | | | |
| | SRN-1670D | √ | √ | √ | √ | √ | √ | √ | √ | √ | |
| | SRN-1000 | √ | √ | √ | √ | √ | √ | √ | √ | √ | |
| | SRN-4000 | Not Supported | | | √ | Not Supported | √ | Not Supported | √ | √ | |
| | SRN-472S | √ | | | √ | √ | √ | √ | √ | √ | |
| | SRN-1673S | √ | | | √ | √ | √ | √ | √ | √ | |
| | SRN-873S | √ | | | √ | √ | √ | √ | √ | √ | |
| | SRN-473S | √ | | | √ | √ | √ | √ | √ | √ | |
| | XRN-2010 | √ | | | √ | √ | √ | √ | √ | | |
| | XRN-2011 | | | | √ | √ | √ | | √ | √ | |
| | XRN-1610S | √ | | | √ | √ | √ | √ | √ | √ | |
| | PRN-4011 | | | | √ | | √ | | √ | √ | |
| | XRN-3010 | √ | | | √ | √ | √ | √ | √ | √ | |
| | XRN-810S | | | | √ | √ | √ | √ | √ | √ | |
| | XRN-410S | | | | √ | √ | √ | √ | √ | √ | |
| | XRN-811S | √ | | | √ | | √ | | | √ | |
| External Storage | SVS-5E | √ | | | √ | √ | √ | √ | √ | | |

Appendix 1. Discontinued HDDs List (Seagate)

A1.4 Seagate (4 ~ 6 TB)

Status EOL Conditional Not Supported

16

| | NO | 1 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|------------------|-----------------------------|-------------------------|--------------------------|--------------------------|----|----|----|----|----|----|----|
| HDD | Capacity | 4 TB | 5 TB | 6 TB | | | | | | | |
| | Series name | Surveillance | Surveillance | Surveillance | | | | | | | |
| | Model name (Part Number) | ST4000VX000 (1F4168) | ST5000VX0001 (1SH17X) | ST6000VX0001 (1SH17Z) | | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | | | |
| | Buffer | 64MB | 128MB | 128MB | | | | | | | |
| | SRD-443 | √ | | √ | | | | | | | |
| DVR | SRD-1642 | √ | √ | √ | | | | | | | |
| | SRD-842 | √ | √ | √ | | | | | | | |
| | SRD-1676D | √ | √ | √ | | | | | | | |
| | SRD-1694 | √ | √ | √ | | | | | | | |
| | SRD-894 | √ | | √ | | | | | | | |
| | HRD-E1630L | √ | | √ | | | | | | | |
| | HRD-E830L | √ | | | | | | | | | |
| | HRD-E430L | √ | | √ | | | | | | | |
| | HRD-443 | √ | | | | | | | | | |
| AIO | SNR-D5401 | √ | | | | | | | | | |
| NVR | SRN-1670D | √ | √ | √ | | | | | | | |
| | SRN-1000 | √ | v1.52(↑) | v1.52(↑) | | | | | | | |
| | SRN-4000 | √ | v2.10(↑) | v2.10(↑) | | | | | | | |
| | SRN-472S | √ | √ | √ | | | | | | | |
| | SRN-1673S | v1.02(↑) | √ | √ | | | | | | | |
| | SRN-873S | √ | √ | √ | | | | | | | |
| | XRN-2010 | √ | √ | √ | | | | | | | |
| | XRN-2011 | √ | | | | | | | | | |
| | PRN-4011 | √ | | | | | | | | | |
| | XRN-810S | √ | Not Supported | Not Supported | | | | | | | |
| | XRN-410S | √ | Not Supported | Not Supported | | | | | | | |
| | XRN-811S | √ | Not Supported | Not Supported | | | | | | | |
| External Storage | SVS-5E | √ | | | | | | | | | |
| | SRB-160S | √ | | √ | | | | | | | |

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL

Conditional

Not Supported

A2.1 Western Digital (250 ~ 1 TB) ※ The AV-GP line of HDDs has been discontinued, thus moved to the Discontinued Models list.

17

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|-------------|------------|-------------------|------------|-------------------|------------|-----------------|------------|------------------|------------------|------------|
| HDD | Capacity | 250 GB | 500 GB | 500 GB | 500 GB | 750 GB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB |
| | Series name | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | RE |
| | Model name | WD2500AVJS | WD5000AVVS-63ZWB0 | WD5000AVDS | WD5000AVDS-63U7B1 | WD7500AVVS | WD10EVVS-63E1B1 | WD10EURS | WD10EURX-63FH1Y0 | WD10EURX-63C57Y0 | WD1003FBYX |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 3Gb/s |
| | Buffer | 8MB | 16MB | 32MB | 32MB | 16MB | 8MB | 64MB | 64MB | 64MB | 64MB |
| DVR | SRD-1670D | | √ | | | √ | √ | v1.06(↑) | Not Supported | Not Supported | |
| | SRD-1630D | | √ | | | √ | √ | v1.06(↑) | Not Supported | Not Supported | |
| | SRD-470D | | √ | | | √ | √ | v1.06(↑) | v1.06(↑) | √ | |
| | SRD-1652D | | | | | | | v1.01(↑) | Not Supported | Not Supported | |
| | SRD-440 | | | | | | | √ | √ | √ | |
| | SRD-1640 | | | | | | | √ | √ | √ | |
| | SRD-442 | | | | | | | √ | √ | √ | |
| | SRD-1673D | | | √ | | | | √ | √ | √ | |
| | SRD-1654D | | | √ | | | | √ | √ | √ | |
| | SRD-473D | | | | | | | √ | √ | √ | |
| | SRD-1680D | | | | √ | | | | | √ | |
| | SRD-443 | | | | √ | | | | | √ | |
| | SRD-1642 | | | | √ | | | | √ | √ | |
| | SRD-842 | | | | √ | | | | √ | √ | |
| | SRD-1676D | | | | √ | | | | | √ | |
| | SRD-876D | | | | √ | | | | | √ | |
| | SRD-1673DU | | | | | | | | | √ | |
| | SRD-476D | | | | √ | | | | | √ | |
| | SRD-445 | | | | √ | | | | | √ | |
| | SRD-482 | | | | √ | | | | | √ | |
| | SRD-480D | | | | | | | | √ | | |
| | SRD-1694 | | | | √ | | | | | | |
| AIO | SRD-894 | | | | | | | | | | |
| | SRD-494 | | | | | | | | | | |
| | SRD-1694U | | | | | | | | | | |
| | HRD-E1630L | | | | | | | | | | |
| | HRD-E830L | | | | | | | | | | |
| | HRD-E430L | | | | | | | | | | |
| | SDR-5200 | | | | | | | | | √ | |
| | SDR-5102 | | | | √ | | | | √ | √ | |
| | SDR-4102 | | | | √ | | | | | √ | |
| | SDR-3102 | | | | √ | | | | | √ | |
| | SDR-C5300 | | | | √ | | | | | √ | |
| NVR | SDR-B3300 | | | | √ | | | | | √ | |
| | SDR-C75300 | | | | √ | | | | | | |
| | SDR-C74300 | | | | | | | | | | |
| | SDR-B73300 | | | | | | | | | | |
| | SDR-B74031 | | | | | | | | | | |
| | SNR-D5401 | | | | | | | | | | |
| | SNR-73200 | | | | | | | | | | |
| | SRN-470D | | | | | | | | v1.10(↑) | √ | |
| | SRN-1670D | | | | √ | | | | √ | √ | |
| | SRN-1000 | | | | √ | | | | √ | √ | |
| | SRN-4000 | | | | Not Supported | | | | | Not Supported | |
| | SRN-472S | | | | √ | | | | | √ | |
| Storage | SRN-1673S | | | | √ | | | | | √ | |
| | SRN-873S | | | | √ | | | | | √ | |
| | SRN-473S | | | | √ | | | | | √ | |
| | XRN-2010 | | | | | | | | | | |
| | XRN-2011 | | | | | | | | | | |
| | XRN-1610S | | | | | | | | | | |
| | PRN-4011 | | | | | | | | | | |
| | XRN-3010 | | | | | | | | | | |
| | XRN-810S | | | | | | | | | | |
| | XRN-410S | | | | | | | | | | |
| | XRN-811S | | | | √ | √ | √ | | | | |
| | SVS-5E | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SVS-5R | | | | | | | | | | √ |

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL

Conditional

Not Supported

A2.2 Western Digital (1 ~ 2 TB) ※ The AV-GP line of HDDs has been discontinued, thus moved to the Discontinued Models list.

18

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|-------------|------------------|------------------|------------|------------------|------------------|------------------|------------|------------------|---|----|
| HDD | Capacity | 1 TB | 1 TB | 2 TB | 2 TB | 2 TB | 2 TB | 2 TB | 2 TB | | |
| | Series name | AV | WD Purple | AV-GP | AV-GP | AV-GP | AV-GP | WD RE | AV-GP | | |
| | Model name | WD10EURX-64RPPY0 | WD10PURX-64D85Y0 | WD20EVDS | WD20EURS-63S48Y0 | WD20EURS-63SPKY0 | WD20EURX-63HYZY0 | WD2003FYYS | WD20EURX-63T0FY0 | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | SATA 3Gb/s | SATA 6Gb/s | | |
| | Buffer | 64MB | 64MB | 32MB | 64MB | 64MB | 64MB | 64MB | 64MB | | |
| DVR | SRD-1670D | | | v1.06(↑) | v1.06(↑) | Not Supported | Not Supported | | | | |
| | SRD-1630D | | | v1.06(↑) | v1.06(↑) | Not Supported | Not Supported | | | | |
| | SRD-470D | | | v1.06(↑) | v1.06(↑) | v1.06(↑) | V1.34(↑) | | | | |
| | SRD-1652D | | | v1.01(↑) | v1.01(↑) | Not Supported | Not Supported | | | | |
| | SRD-440 | | | | √ | √ | √ | | | | |
| | SRD-1640 | | | | √ | √ | √ | | | | |
| | SRD-442 | | | | √ | √ | √ | | | | |
| | SRD-1673D | √ | √ | | √ | √ | √ | | √ | | |
| | SRD-1654D | √ | √ | | √ | √ | √ | | √ | | |
| | SRD-473D | | | | √ | √ | √ | | | | |
| | SRD-1680D | | | | | | √ | | | | |
| | SRD-443 | √ | √ | | | | √ | | √ | | |
| | SRD-1642 | √ | √ | | √ | | √ | | √ | | |
| | SRD-842 | √ | √ | | √ | | √ | | √ | | |
| | SRD-1676D | √ | √ | | | | √ | | √ | | |
| | SRD-876D | √ | √ | | | | √ | | √ | | |
| | SRD-1673DU | | | | | | √ | | | | |
| | SRD-476D | √ | √ | | | | √ | | √ | | |
| | SRD-445 | √ | √ | | | | √ | | √ | | |
| | SRD-482 | √ | √ | | | | √ | | √ | | |
| | SRD-480D | √ | √ | | √ | | | | | | |
| | SRD-1694 | | √ | | | | | | √ | | |
| | SRD-894 | | | | | | | | | | |
| | SRD-494 | | | | | | | | | | |
| | SRD-1694U | | | | | | | | | | |
| AIO | HRD-E1630L | | | | | | | | | | |
| | HRD-E830L | | | | | | | | | | |
| | HRD-E430L | | | | | | | | | | |
| | SDR-5200 | | | | | | √ | | | | |
| | SDR-5102 | √ | √ | | √ | | √ | | √ | | |
| | SDR-4102 | √ | √ | | | | √ | | √ | | |
| | SDR-3102 | √ | √ | | | | √ | | √ | | |
| | SDR-C5300 | √ | √ | | | | √ | | √ | | |
| | SDR-B3300 | √ | √ | | | | √ | | √ | | |
| | SDR-C75300 | √ | √ | | | | | | √ | | |
| | SDR-C74300 | √ | √ | | | | | | | | |
| NVR | SDR-B73300 | | √ | | | | | | | | |
| | SDR-B74031 | √ | | | | | | | | | |
| | SNR-D5401 | | | | | | | | | | |
| | SNR-73200 | | | | | | | | | | |
| | SRN-470D | | | | √ | √ | √ | | | | |
| | SRN-1670D | √ | √ | | √ | √ | √ | | √ | | |
| | SRN-1000 | √ | √ | | √ | √ | √ | | √ | | |
| | SRN-4000 | √ | √ | | | | √ | | Not Supported | | |
| | SRN-472S | √ | √ | | | | √ | | √ | | |
| | SRN-1673S | √ | √ | | | | √ | | √ | | |
| Storage | SRN-873S | √ | √ | | | | √ | | √ | | |
| | SRN-473S | √ | √ | | | | √ | | √ | | |
| | XRN-2010 | | | | | | | | | | |
| | XRN-2011 | | | | | | | | | | |
| | XRN-1610S | | √ | | | | | | | | |
| | PRN-4011 | | | | | | | | | | |
| | XRN-3010 | | | | | | | | | | |
| | XRN-810S | | √ | | | | | | √ | | |
| | XRN-410S | | √ | | | | | | √ | | |
| | SVS-5E | √ | √ | √ | √ | | | | √ | | |
| | SVS-5R | | | | | | | √ | | | |

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL

Conditional

Not Supported

A2.3 Western Digital (3 TB) ※ The AV-GP line of HDDs has been discontinued, thus moved to the Discontinued Models list.

19

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|-------------|------------------|------------------|------------------|------------------|---|---|---|---|---|----|
| HDD | Capacity | 3 TB | 3 TB | 3 TB | 3 TB | | | | | | |
| | Series name | AV-GP | AV-GP | AV-GP | AV-GP | | | | | | |
| | Model name | WD30EURS-63SPKY0 | WD30EURS-63R8UY0 | WD30EURX-64HYZY0 | WD30EURX-63T0FY0 | | | | | | |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | | | | | | |
| DVR | SRD-1670D | Not Supported | v1.06(↑) | Not Supported | | | | | | | |
| | SRD-1630D | Not Supported | v1.06(↑) | Not Supported | | | | | | | |
| | SRD-470D | v1.06(↑) | v1.06(↑) | V1.34(↑) | | | | | | | |
| | SRD-1652D | Not Supported | v1.01(↑) | Not Supported | | | | | | | |
| | SRD-440 | V1.30(↑) | V1.30(↑) | V1.30(↑) | | | | | | | |
| | SRD-1640 | V1.30(↑) | V1.30(↑) | V1.30(↑) | | | | | | | |
| | SRD-442 | V1.30(↑) | V1.30(↑) | V1.30(↑) | | | | | | | |
| | SRD-1673D | √ | √ | √ | √ | | | | | | |
| | SRD-1654D | √ | √ | √ | √ | | | | | | |
| | SRD-473D | √ | √ | √ | | | | | | | |
| | SRD-1680D | | | √ | | | | | | | |
| | SRD-443 | | | √ | √ | | | | | | |
| | SRD-1642 | | | √ | √ | | | | | | |
| | SRD-842 | | | √ | √ | | | | | | |
| | SRD-1676D | | | √ | √ | | | | | | |
| | SRD-876D | | | √ | √ | | | | | | |
| | SRD-1673DU | | | √ | | | | | | | |
| | SRD-476D | | | √ | √ | | | | | | |
| | SRD-445 | | | √ | √ | | | | | | |
| | SRD-482 | | | √ | √ | | | | | | |
| | SRD-480D | | | | | | | | | | |
| | SRD-1694 | | | | √ | | | | | | |
| | SRD-894 | | | | | | | | | | |
| | SRD-494 | | | | | | | | | | |
| | SRD-1694U | | | | | | | | | | |
| | HRD-E1630L | | | | | | | | | | |
| | HRD-E830L | | | | | | | | | | |
| | HRD-E430L | | | | | | | | | | |
| AIO | SDR-5200 | | | √ | | | | | | | |
| | SDR-5102 | | | √ | √ | | | | | | |
| | SDR-4102 | | | √ | √ | | | | | | |
| | SDR-3102 | | | √ | √ | | | | | | |
| | SDR-C5300 | | | √ | √ | | | | | | |
| | SDR-B3300 | | | √ | √ | | | | | | |
| | SDR-C75300 | | | | | | | | | | |
| | SDR-C74300 | | | | | | | | | | |
| | SDR-B73300 | | | | | | | | | | |
| | SDR-B74031 | | | | | | | | | | |
| | SNR-D5401 | | | | | | | | | | |
| | SNR-73200 | | | | | | | | | | |
| NVR | SRN-470D | √ | √ | √ | | | | | | | |
| | SRN-1670D | √ | √ | √ | √ | | | | | | |
| | SRN-1000 | √ | √ | √ | √ | | | | | | |
| | SRN-4000 | | | √ | Not Supported | | | | | | |
| | SRN-472S | | | √ | √ | | | | | | |
| | SRN-1673S | | | √ | √ | | | | | | |
| | SRN-873S | | | √ | √ | | | | | | |
| | SRN-473S | | | √ | √ | | | | | | |
| | XRN-2010 | | | | | | | | | | |
| | XRN-2011 | | | | | | | | | | |
| | XRN-1610S | | | | | | | | | | |
| | PRN-4011 | | | | √ | | | | | | |
| | XRN-3010 | | | | √ | | | | | | |
| | XRN-810S | | | | | | | | | | |
| | XRN-410S | | | | | | | | | | |
| Storage | SVS-5E | | √ | | | | | | | | |
| | SVS-5R | | | | | | | | | | |

Appendix 2. Discontinued HDDs List (Western Digital)

| Status | EOL | Conditional | Not Supported |
|--------|-----|-------------|---------------|
|--------|-----|-------------|---------------|

A2.3 Western Digital (4 ~ 6 TB)

20

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|-------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----|
| HDD | Capacity | 4 TB | 4 TB | 4 TB | 5 TB | 5 TB | 6 TB | 6 TB | 6 TB | | |
| | Series name | AV | WD Purple | WD Purple NV | WD Purple | WD Purple | WD Purple | WD Purple | WD Purple NV | | |
| | Model name | WD40EURX-64WRWY0 | WD40PURX-64GVNY0 | WD4NPURX-64TPFY0 | WD50PURX-64LZMY0 | WD50PURX-64T0ZY0 | WD60PURX-64LZMY0 | WD60PURX-64T0ZY0 | WD6NPURX-64JC5Y0 | | |
| | Interface | SATA 6Gb/s | | |
| | Buffer | 64MB | | |
| DVR | SRD-1670D | | | | | | | | | | |
| | SRD-1630D | | | | | | | | | | |
| | SRD-470D | | | | | | | | | | |
| | SRD-440 | | | | | | | | | | |
| | SRD-1640 | | | | | | | | | | |
| | SRD-442 | | | | | | | | | | |
| | SRD-1673D | √ | √ | | √ | √ | √ | | | | |
| | SRD-1654D | √ | √ | | √ | √ | √ | | | | |
| | SRD-473D | | | | | | | | | | |
| | SRD-1680D | | | | | | | | | | |
| | SRD-443 | √ | √ | √ | √ | | √ | √ | | | |
| | SRD-1642 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-842 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-1676D | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-876D | √ | √ | | √ | √ | √ | | | | |
| | SRD-1673DU | | | | | | | | | | |
| | SRD-476D | √ | √ | | √ | √ | √ | | | | |
| | SRD-445 | √ | √ | | √ | | √ | | | | |
| | SRD-482 | √ | √ | | √ | | √ | | | | |
| | SRD-480D | | | | | | | | | | |
| | SRD-1694 | √ | √ | √ | | √ | √ | √ | √ | | |
| | SRD-894 | | √ | | | √ | √ | √ | | | |
| | SRD-494 | | √ | √ | | | √ | √ | √ | | |
| | SRD-1694U | | √ | √ | | √ | √ | √ | √ | | |
| | HRD-E1630L | | | √ | | | | | √ | √ | |
| | HRD-E830L | | √ | | | | √ | | | | |
| | HRD-E430L | | √ | √ | | | | | | | |
| | HRD-443 | | | √ | | | | √ | √ | | |
| AIO | SDR-5200 | | | | | | | | | | |
| | SDR-5102 | √ | √ | | √ | √ | √ | | | | |
| | SDR-4102 | √ | √ | | √ | √ | √ | | | | |
| | SDR-3102 | √ | √ | | √ | √ | √ | | | | |
| | SDR-C5300 | √ | √ | | √ | √ | √ | | | | |
| | SDR-B3300 | | √ | | √ | | √ | | | | |
| | SDR-C75300 | √ | √ | | √ | √ | √ | | | | |
| | SDR-C74300 | | √ | | √ | √ | √ | | | | |
| | SDR-B73300 | | √ | | √ | | √ | | | | |
| | SDR-B74031 | | √ | | | √ | √ | | | | |
| | SNR-D5401 | | √ | | | √ | | | | | |
| | SNR-73200 | | | | | | | | | | |
| NVR | SRN-470D | | | | | | | | | | |
| | SRN-1670D | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRN-1000 | √ | √ | √ | v1.52(↑) | v1.52(↑) | v1.52(↑) | v1.52(↑) | v1.52(↑) | | |
| | SRN-4000 | √ | √ | v2.10(↑) | v2.10(↑) | v2.10(↑) | v2.10(↑) | v2.10(↑) | v2.10(↑) | | |
| | SRN-472S | √ | √ | √ | √ | | √ | √ | | | |
| | SRN-1673S | √ | √ | √ | √ | | √ | √ | | | |
| | SRN-873S | √ | √ | √ | √ | √ | √ | √ | | | |
| | SRN-473S | √ | √ | √ | √ | | √ | √ | | | |
| | XRN-2010 | | | √ | √ | | √ | √ | √ | | |
| | XRN-2011 | | √ | √ | | | √ | √ | √ | | |
| | XRN-1610S | | √ | √ | √ | | √ | √ | √ | | |
| | PRN-4011 | | √ | √ | √ | | √ | √ | √ | | |
| | XRN-3010 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | XRN-810S | √ | √ | √ | | √ | | √ | √ | | |
| | XRN-410S | √ | √ | √ | | √ | | √ | √ | | |
| | XRN-811S | | | √ | | | | √ | | | |
| Storage | SVS-5E | | | √ | √ | | √ | | | | |
| | SVS-5R | | | | | | | √ | | | |

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL

Conditional

Not Supported

A2.3 Western Digital (8 TB)

21

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|-------------|------------------|------------------|------------------|------------------|---|---|---|---|---|----|
| HDD | Capacity | 8 TB | 8 TB | 8 TB | 8 TB | | | | | | |
| | Series name | WD Purple | WD Purple | WD Purple | WD Purple | | | | | | |
| | Model name | WD80PUZX-64NEAY0 | WD80PURX-64WS3Y0 | WD80PURZ-85YNPY0 | WD80EJRX-89TA5Y0 | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | | |
| | Buffer | 128MB | 128MB | 128MB | 128MB | | | | | | |
| NVR | XRN-2010 | √ | √ | √ | √ | | | | | | |
| | XRN-2011 | √ | √ | √ | √ | | | | | | |
| | PRN-4011 | √ | √ | √ | √ | | | | | | |
| External Storage | SRB-160S | √ | √ | √ | √ | | | | | | |

Appendix 3. Enterprise 3.5" Discontinued HDDs List (Seagate & Western Digital)

| | | | |
|--------|-----|-------------|---------------|
| Status | EOL | Conditional | Not Supported |
|--------|-----|-------------|---------------|

※ To use RAID mode for these models, Enterprise HDDs are recommended.

3.1 Seagate : 1 ~ 8 TB

22

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|-------------|--------------------|--------------------|--------------------|--------------------|-------------------------|---|---|---|---|----|
| HDD | Capacity | 1 TB | 2 TB | 3 TB | 4 TB | 5 TB | | | | | |
| | Series name | Constellation ES.3 | Constellation ES.3 | Constellation ES.3 | Constellation ES.3 | Enterprise Capacity 3.5 | | | | | |
| | Model name | ST1000NM0033 | ST2000NM0033 | ST3000NM0033 | ST4000NM0033 | ST5000NM0084 | | | | | |
| | Interface | SATA 6Gb/s | | | | | |
| | Buffer | 128MB | 128MB | 128MB | 128MB | 128MB | | | | | |
| NVR | SRN-4000 | √ | √ | √ | v2.10(↑) | v2.10(↑) | | | | | |
| | XRN-2011 | √ | | | | | | | | | |
| | PRN-4011 | √ | | √ | | | | | | | |
| External Storage | SVS-5R | √ | | √ | √ | | | | | | |
| | SRB-160S | | | √ | √ | | | | | | |

3.2 Western Digital : 1 ~ 3 TB

22

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|-------------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----|
| HDD | Capacity | 1 TB | 1 TB | 1 TB | 2 TB | 2 TB | 3 TB | 3 TB | 1 TB | 2 TB | |
| | Series name | RE | SE | SE | RE | RE | RE | WD Gold | WD Gold | | |
| | Model name | WD1003FBYZ-010FB0 | WD1002F9YZ-09H1JL0 | WD1002F9YZ-09H1JL1 | WD2000FYYZ-01UL1B1 | WD2000FYYZ-01UL1B2 | WD3000FYYZ-01UL1B1 | WD3000FYYZ-01UL1B2 | WD1005FBYZ-01YCBB2 | WD2005FBYZ-01YCBB2 | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | |
| | Buffer | 64MB | 128MB | 128MB | 64MB | 64MB | 64MB | 64MB | 128MB | 128MB | |
| NVR | SRN-4000 | √ | √ | √ | √ | √ | √ | √ | √ | √ | |
| | XRN-2011 | | | | | | | | | √ | |
| | PRN-4011 | √ | √ | √ | | | | | √ | √ | |
| External Storage | SVS-5R | √ | √ | √ | √ | √ | √ | √ | | | |
| | SRB-160S | | | | | | | | | | |

3.3 Western Digital : 4 ~ 8 TB

22

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|-------------|--------------------|--------------------|--------------------|--------------------|------------------|------------------|------------------|---|---|----|
| HDD | Capacity | 4 TB | 8 TB | 4 TB | 6 TB | 4 TB | 6 TB | 8 TB | | | |
| | Series name | RE | WD Gold | WD Gold | WD Gold | UltraStar | UltraStar | UltraStar | | | |
| | Model name | WD4000FYYZ-01UL1B2 | WD8002FRYZ-01FF2B0 | WD4002FYYZ-01B7CB0 | WD6002FRYZ-01WD5B0 | HUS726T4TAL A6L4 | HUS726T6TALE 6L4 | HUS728T8TALE 6L4 | | | |
| | Part Number | - | - | - | - | OB35950 | OB36039 | OB36404 | | | |
| | Firmware | - | - | - | - | 40H | 40H | 410 | | | |
| NVR | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | |
| | Buffer | 64MB | 128MB | 128MB | 128MB | 256MB | 256MB | 256MB | | | |
| | SRN-4000 | v2.10(↑) | Not Supported | v2.10(↑) | v2.10(↑) | √ | √ | Not Supported | | | |
| External Storage | XRN-2011 | | | √ | √ | | | | | | |
| | PRN-4011 | √ | √ | √ | √ | | | | | | |
| External Storage | SVS-5R | √ | | | | | | | | | |
| | SRB-160S | | √ | | √ | | | | | | |

Appendix 4. Discontinued Models List (Seagate)

Status

EOL

Conditional

Not Supported

A4.1 Seagate (250 ~ 750 GB)

23

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|--------------------|---------------|---------------|---------------|-------------|---------------|---------------|-------------|---------------|---------------|----|
| HDD | Capacity | 250 GB | 250 GB | 250 GB | 500 GB | 500 GB | 500 GB | 500 GB | 500 GB | 750 GB | |
| | Series name | SV35.3 Series | SV35.5 Series | Pipeline HD.2 | SV35 Series | SV35.3 Series | SV35.5 Series | Pipeline HD | Pipeline HD.2 | SV35.3 Series | |
| | Model name | ST3250310SV | ST3250311SV | ST3250312CS | ST3500411SV | ST3500320SV | ST3500410SV | ST3500312CS | ST3500414CS | ST3750330SV | |
| | (Part Number) | - | - | - | - | - | - | - | (9GW142) | - | |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | |
| | Buffer | 8MB | 8MB | 16MB | 16MB | 32MB | 16MB | 8MB | 16MB | 32MB | |
| DVR | SHR-6.../7.../8... | √ | √ | √ | | √ | √ | | √ | √ | |
| | SHR-6040/6042 | | √ | √ | | | √ | | √ | √ | |
| | SVR-1670 | √ | √ | √ | | √ | √ | | √ | √ | |
| | SVR-3200/480 | √ | | | | √ | | | | √ | |
| | SVR-1645/1660 | | √ | √ | | | √ | | √ | | |
| | SVR-1680 | | | | | | | | | | |
| | SVR-960/945 | | √ | √ | | | √ | | √ | | |
| | SRD-1670D | | | | | | | | √ | | |
| | SRD-1630D | | | | | | | | √ | | |
| | SRD-1652D | | | | | | | | | v1.01(↑) | |
| | SRD-852D | | | | | | | | | | |
| | SRD-1640/840 | | | | | | | | √ | | |
| | SRD-1680D | | | | | | | | √ | | |
| | SRD-880D | | | | | | | | | | |
| | SRD-470D | | | | | | | | √ | | |
| | SRD-440 | | | | | | | | √ | | |
| | SRD-473D | | | | | | | | √ | | |
| | SRD-1673DU | | | | | | | | √ | | |
| | SRD-442 | | | | | | | | √ | | |
| AIO | SDR-5200 | | | | | | | | √ | | |
| NVR | SNR-6400/3200 | | | √ | √ | | | √ | √ | | |
| | SRN-6450/3250 | | | √ | √ | | | √ | √ | | |
| | SRN-470D | | | | | | | | √ | | |

A4.2 Seagate : 1 TB

23

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|--------------------|--------------|---------------|---------------|---------------|--------------|-------------|---------------|--------------|-------------|----|
| HDD | Capacity | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | |
| | Series name | Pipeline HD | Pipeline HD.2 | SV35.3 Series | SV35.5 Series | SV35 Series | Video 3.5 | SV35.6 Series | Surveillance | Sky Hawk | |
| | Model name | ST31000322CS | ST31000424CS | ST31000340SV | ST31000525SV | ST31000526SV | ST1000VM002 | ST1000VX000 | ST1000VX001 | ST1000VX005 | |
| | (Part Number) | - | - | - | - | - | (1ET162) | (1ES162) | (1HH162) | (2E3162) | |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | |
| | Buffer | 8MB | 16MB | 32MB | 32MB | 32MB | 64MB | 64MB | 64MB | 64MB | |
| DVR | SHR-6.../7.../8... | | √ | √ | √ | | | | | | |
| | SHR-6040/6042 | | √ | √ | √ | | | | | | |
| | SVR-1670 | | √ | √ | √ | | | | | | |
| | SVR-3200/480 | | | √ | | | | | | | |
| | SVR-1645/1660 | | √ | | √ | | | | | | |
| | SVR-1680 | | | | | | | | | | |
| | SVR-960/945 | | √ | | √ | | | | | | |
| | SRD-1670D | | | | | | v1.06(↑) | v1.06(↑) | v1.06(↑) | | |
| | SRD-1630D | | | | | | v1.06(↑) | v1.06(↑) | v1.06(↑) | | |
| | SRD-1652D | | | | | | v1.01(↑) | v1.01(↑) | v1.01(↑) | | |
| | SRD-852D | | | | | | | | | | |
| | SRD-1640/840 | | | | | | √ | √ | √ | | |
| | SRD-1680D | | | | | | √ | √ | √ | | |
| | SRD-880D | | | | | | | | | | |
| | SRD-470D | | | | | | v1.34(↑) | v1.34(↑) | v1.34(↑) | | |
| | SRD-440 | | | | | | √ | √ | √ | | |
| | SRD-473D | | | | | | √ | √ | √ | | |
| | SRD-1673DU | | | | | | √ | √ | √ | | |
| | SRD-442 | | | | | | √ | √ | √ | √ | |
| | SRD-443 | | | | | | √ | √ | √ | √ | |
| AIO | SDR-5200 | | | | | | √ | √ | √ | √ | |
| NVR | SNR-6400/3200 | √ | √ | | | √ | | V2.24(↑) | | | |
| | SRN-6450/3250 | √ | √ | | | √ | | V2.24(↑) | | | |
| | SRN-470D | | | | | | v2.00(↑) | v2.00(↑) | v2.00(↑) | | |
| | SRN-1670D | | | | | | √ | √ | √ | √ | |
| | SRN-1000 | | | | | | √ | √ | √ | √ | |
| | SRN-472S | | | | | | √ | √ | √ | √ | |

Appendix 4. Discontinued Models List (Seagate)

Status EOL Conditional Not Supported

A4.2 Seagate : (1 ~ 2 TB)

24

| | NO | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---------|----------------|--------------|-------------|--------------|-------------|----|----|----|----|----|----|
| HDD | Capacity | 1 TB | 1 TB | 2 TB | 2 TB | | | | | | |
| | Series name | Surveillance | Sky Hawk | Surveillance | Sky Hawk | | | | | | |
| | Model name | ST1000VX001 | ST1000VX005 | ST2000VX003 | ST2000VX008 | | | | | | |
| | (Part Number) | (1Z4102) | (2EZ102) | (1HH164) | (2E3164) | | | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | | | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | | | | | | |
| DVR | SRD-442 | √ | √ | √ | √ | | | | | | |
| | SRD-443 | √ | √ | √ | √ | | | | | | |
| | SRD-1642 | √ | √ | √ | √ | | | | | | |
| | SRD-456 | | | | | | | | | | |
| | SDR-5102 | | | | | | | | | | |
| | /C5300/B3300 | | | | | | | | | | |
| | SRD-842 | √ | √ | √ | √ | | | | | | |
| | SRD-445 | | | | | | | | | | |
| AIO | SDR-4102 | | | | | | | | | | |
| | SRD-1673D | √ | √ | √ | √ | | | | | | |
| NVR | /1673/1653D | | | | | | | | | | |
| | /873D, | | | | | | | | | | |
| | SRD-1654D/854D | | | | | | | | | | |
| | SRD-1676D/676 | √ | √ | √ | √ | | | | | | |
| | SRD-1656D/ | | | | | | | | | | |
| | 1656/876D/876/ | | | | | | | | | | |
| | 856 | | | | | | | | | | |
| | SRD-894 | | | √ | √ | | | | | | |
| Storage | SVS-5E | | | √ | √ | | | | | | |

A4.3 Seagate (2 ~ 3 TB)

24

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|---------------|-------------|-------------|-------------|---------------|--------------|---------------|-------------|--------------|--------------|----|
| HDD | Capacity | 2 TB | 2 TB | 2 TB | 2 TB | 2 TB | 3 TB | 3 TB | 3 TB | 3 TB | |
| | Series name | Pipeline HD | SV35 Series | Video 3.5 | SV35.6 Series | Surveillance | SV35.6 Series | Video 3.5 | Surveillance | Surveillance | |
| | Model name | ST2000VM002 | ST2000VX002 | ST2000VM003 | ST2000VX000 | ST2000VX003 | ST3000VX000 | ST3000VM002 | ST3000VX002 | ST3000VX006 | |
| | (Part Number) | - | - | (1ET164) | (1ES164) | (1HH164) | (1ES166) | (1ET166) | (1F416R) | (1HH166) | |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | |
| DVR | SRD-1670D | | | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | |
| | SRD-1630D | | | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | |
| | SRD-1652D | | | v1.01(↑) | v1.01(↑) | v1.01(↑) | v1.01(↑) | v1.01(↑) | v1.01(↑) | v1.01(↑) | |
| | SRD-852D | | | | | | | | | | |
| | SRD-1640/840 | | | √ | √ | √ | v1.30(↑) | v1.30(↑) | v1.30(↑) | v1.30(↑) | |
| | SRD-1680D | | | √ | √ | √ | √ | √ | √ | √ | |
| | SRD-880D | | | | | | | | | | |
| | SRD-470D | | | v1.34(↑) | v1.34(↑) | v1.34(↑) | v1.34(↑) | v1.34(↑) | v1.34(↑) | v1.34(↑) | |
| | SRD-440 | | | √ | √ | √ | v1.30(↑) | v1.30(↑) | v1.30(↑) | √ | |
| | SRD-473D | | | √ | √ | √ | √ | √ | √ | √ | |
| | SRD-1673DU | | | √ | √ | √ | √ | √ | √ | √ | |
| | SRD-442 | √ | √ | √ | √ | √ | v1.30(↑) | v1.30(↑) | v1.30(↑) | v1.30(↑) | |
| | SRD-443 | | | √ | √ | √ | √ | √ | √ | √ | |
| AIO | SDR-5200 | √ | √ | √ | √ | √ | √ | √ | √ | √ | |
| NVR | SNR-6400/3200 | √ | V2.24(↑) | | | | | | | | |
| | SNR-6450/3250 | √ | V2.24(↑) | | | | | | | | |
| | SRN-470D | | | v2.00(↑) | v2.00(↑) | v2.00(↑) | v2.00(↑) | v2.00(↑) | v2.00(↑) | v2.00(↑) | |
| | SRN-1670D | | | √ | √ | √ | √ | √ | √ | √ | |
| | SRN-1000 | | | √ | √ | √ | √ | √ | √ | √ | |
| | SRN-472S | | | √ | √ | √ | √ | √ | √ | √ | |
| Storage | SVS-5E | | | | | √ | | | | √ | |

Appendix 4. Discontinued Models List (Seagate)

Status

EOL

Conditional

Not Supported

A4.3 Seagate (3 ~ 8 TB)

25

| | NO | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---------|----------------|--------------|-------------|--------------|-------------|--------------|--------------|---------------|---------------|----|----|
| HDD | Capacity | 3 TB | 3 TB | 4 TB | 4 TB | 6 TB | 6 TB | 8 TB | 8 TB | | |
| | Series name | Surveillance | Sky Hawk | Surveillance | Sky Hawk | Surveillance | Sky Hawk | Surveillance | Sky Hawk | | |
| | Model name | ST3000VX006 | ST3000VX010 | ST4000VX000 | ST4000VX007 | ST6000VX0003 | ST6000VX0023 | ST8000VX0002 | ST8000VX0022 | | |
| | (Part Number) | (1HH166) | (2E3166) | (2AG166) | (2DT166) | (1ZH110) | (2EF110) | (1Z6112) | (2EJ112) | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | 128MB | 128MB | 256MB | 256MB | | |
| DVR | SRD-442 | v1.30(↑) | v1.30(↑) | v1.30(↑) | v1.30(↑) | | | Not Supported | Not Supported | | |
| | SRD-443 | √ | √ | √ | √ | √ | √ | Not Supported | Not Supported | | |
| | SRD-1642 | √ | √ | √ | √ | √ | √ | Not Supported | Not Supported | | |
| | SRD-456 | | | | | | | | | | |
| | SDR-5102 | | | | | | | | | | |
| | /C5300/B3300 | | | | | | | | | | |
| AIO | SRD-842 | √ | √ | √ | √ | √ | √ | Not Supported | Not Supported | | |
| | SRD-445 | | | | | | | | | | |
| | SDR-4102 | | | | | | | | | | |
| | SRD-1673D | √ | √ | √ | √ | √ | √ | Not Supported | Not Supported | | |
| | /1673/1653D | | | | | | | | | | |
| | /873D, | | | | | | | | | | |
| NVR | SRD-1654D/854D | | | | | | | | | | |
| | SRD-1676D/676 | √ | √ | √ | √ | √ | √ | Not Supported | Not Supported | | |
| | SRD-1656D/ | | | | | | | | | | |
| | 1656/876D/876/ | | | | | | | | | | |
| | 856 | | | | | | | | | | |
| | SRD-894 | √ | √ | √ | √ | √ | √ | Not Supported | Not Supported | | |
| Storage | SDR-5200 | √ | √ | √ | √ | √ | √ | Not Supported | Not Supported | | |
| | SNR-D5401 | | | √ | √ | √ | √ | Not Supported | Not Supported | | |

A4.4 Seagate (4 ~ 8 TB)

25

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|---------------|-------------|--------------|--------------|---------------|---------------|---------------|---|---|---|----|
| HDD | Capacity | 4 TB | 4 TB | 5 TB | 6 TB | 8 TB | 8 TB | | | | |
| | Series name | Video 3.5 | Surveillance | Surveillance | Surveillance | Surveillance | Sky Hawk | | | | |
| | Model name | ST4000VM000 | ST4000VX000 | ST5000VX0001 | ST6000VX0001 | ST8000VX0002 | ST8000VX0022 | | | | |
| | (Part Number) | (1F3168) | (1F4168) | (1SH17X) | (1SH17Z) | (1Z6112) | (2EJ112) | | | | |
| | Interface | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | | |
| | Buffer | 64MB | 64MB | 128MB | 128MB | 256MB | 256MB | | | | |
| DVR | SRD-1670D | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | Not Supported | Not Supported | | | | |
| | SRD-1630D | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | Not Supported | Not Supported | | | | |
| | SRD-1652D | v1.06(↑) | v1.06(↑) | v1.06(↑) | v1.06(↑) | Not Supported | Not Supported | | | | |
| | SRD-852D | | | | | | | | | | |
| | SRD-1640/840 | v1.01(↑) | v1.01(↑) | | | Not Supported | Not Supported | | | | |
| | SRD-1680D | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | SRD-880D | | | | | | | | | | |
| | SRD-470D | √ | √ | v1.34(↑) | v1.34(↑) | Not Supported | Not Supported | | | | |
| | SRD-440 | v1.30(↑) | v1.30(↑) | | Not Supported | Not Supported | Not Supported | | | | |
| | SRD-473D | √ | √ | | √ | Not Supported | Not Supported | | | | |
| AIO | SRD-1673DU | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | SRD-442 | v1.30(↑) | v1.30(↑) | v1.30(↑) | v1.30(↑) | Not Supported | Not Supported | | | | |
| | SRD-443 | √ | √ | | √ | Not Supported | Not Supported | | | | |
| | SDR-5200 | √ | √ | | | Not Supported | Not Supported | | | | |
| | SNR-6400/3200 | | | | | Not Supported | Not Supported | | | | |
| | SNR-6450/3250 | | | | | Not Supported | Not Supported | | | | |
| NVR | SRN-470D | v2.00(↑) | v2.00(↑) | v2.00(↑) | v2.00(↑) | Not Supported | Not Supported | | | | |
| | SRN-1670D | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | SRN-1000 | √ | √ | v1.52(↑) | v1.52(↑) | Not Supported | Not Supported | | | | |
| | SRN-472S | √ | √ | √ | √ | Not Supported | Not Supported | | | | |
| | SVS-5E | | | | | | | | | | |

Appendix 5. Discontinued Models List (Western Digital)

Status EOL Conditional Not Supported

A5.1 Western Digital (250 ~ 750 GB)

26

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|--------------------|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------|------------|----|
| HDD | Capacity | 250 GB | 320 GB | 500 GB | 750 GB | |
| | Series name | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | AV-GP | |
| | Model name | WD2500AVJS | WD3200AVVS-63L2B0 | WD5000AVVS-63H0B1 | WD5000AVVS-63M8B0 | WD5000AVVS-63ZWB0 | WD5000AVDS-63U7B1 | WD5000AVVS-63M8B0 | WD7500AVVS | | |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | |
| | Buffer | 8MB | 8MB | 8MB | 8MB | 8MB | 16MB | 32MB | 8MB | 8MB | |
| DVR | SHR-6.../7.../8... | | | √ | | | | | | | √ |
| | SHR-6040/6042 | | √ | | | √ | | | | | |
| | SVR-1670 | √ | √ | | √ | | √ | √ | | | |
| | SVR-3200/480 | √ | √ | | √ | | √ | √ | | | |
| | SVR-1645/1660 | | | | | | | | | | |
| | SRD-1670D | | | | | | | √ | | | |
| | SRD-1630D | | | | | | | √ | | | |
| | SRD-1652D | | | | | | | √ | | | |
| | SRD-852D | | | | | | | | | | |
| | SRD-1640/840 | | | | | | | √ | | | |
| | SRD-1680D | | | | | | | √ | | | |
| | SRD-880D | | | | | | | | | | |
| | SRD-470D | | | | | | | √ | | | |
| | SRD-440 | | | | | | | √ | | | |
| | SRD-473D | | | | | | | √ | | | |
| | SRD-1673DU | | | | | | | √ | | | |
| | SRD-442 | | | | | | | √ | | | |
| AIO | SDR-5200 | | | | | | | √ | | | |
| NVR | SNR-6400/3200 | | | | | √ | | | | | |
| | SRN-6450/3250 | | | | | √ | | | | | |
| | SRN-470D | | | | | | | √ | | | |

A5.2 Western Digital (1 TB)

26

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|--------------------|------------|-----------------|------------|------------|------------------|------------------|------------------|---|---|----|
| HDD | Capacity | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | 1 TB | | | |
| | Series name | AV-GP | AV-GP | AV-GP | AV-GP | AV | WD Purple | WD Purple | | | |
| | Model name | WD10EVVS | WD10EVVS-63E1B1 | WD10EVCS | WD10EURS | WD10EURX-64RPPY0 | WD10PURX-64D85Y0 | WD10PURX-64KC9Y0 | | | |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s | SATA 6Gb/s | SATA 6Gb/s | | | |
| | Buffer | 8MB | 8MB | 8MB | 8MB | 64MB | 64MB | 64MB | | | |
| DVR | SHR-6.../7.../8... | √ | | | | | | | | | |
| | SHR-6040/6042 | | | | | | | | | | |
| | SVR-1670 | | √ | √ | √ | | | | | | |
| | SVR-3200/480 | | √ | √ | √ | | | | | | |
| | SVR-1645/1660 | | | | √ | | | | | | |
| | SRD-1670D | | | | | Not Supported | Not Supported | Not Supported | | | |
| | SRD-1630D | | | | | Not Supported | Not Supported | Not Supported | | | |
| | SRD-1652D | | | | | Not Supported | Not Supported | Not Supported | | | |
| | SRD-852D | | | | | | | | | | |
| | SRD-1640/840 | | | | | √ | √ | √ | | | |
| | SRD-1680D | | | | | √ | √ | √ | | | |
| | SRD-880D | | | | | v1.34(↑) | v1.34(↑) | v1.34(↑) | | | |
| | SRD-470D | | | | | √ | √ | | | | |
| | SRD-440 | | | | | √ | √ | | | | |
| | SRD-473D | | | | | √ | √ | | | | |
| | SRD-1673DU | | | | | √ | √ | √ | | | |
| | SRD-442 | | | | | √ | √ | √ | | | |
| | SRD-443 | | | | | √ | √ | √ | | | |
| AIO | SDR-5200 | | | | | √ | √ | √ | | | |
| NVR | SNR-6400/3200 | | | | | | | | | | |
| | SRN-6450/3250 | | | | | | | | | | |
| | SRN-470D | | | | | √ | √ | √ | | | |
| | SRN-1670D | | | | | √ | √ | √ | | | |
| | SRN-1000 | | | | | √ | √ | √ | | | |
| | SRN-472S | | | | | √ | √ | √ | | | |
| Storage | SVS-5E | | | | | | | √ | | | |

Appendix 5. Discontinued Models List (Western Digital)

Status

EOL

Conditional

Not Supported

A5.3 Western Digital (2 ~ 4 TB)

27

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|---------------|------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| HDD | Capacity | 2 TB | 2 TB | 2 TB | 2 TB | 3 TB | 3 TB | 4 TB | 4 TB | 4 TB | 4 TB |
| | Series name | AV-GP | AV-GP | AV-GP | WD Purple | AV-GP | WD Purple | AV | WD Purple | WD Purple NV | WD Purple |
| | Model name | WD20EVDS | WD20EURS-63S48Y0 | WD20EURX-63T0FY0 | WD20PURX-64PFUY0 | WD30EURX-63T0FY0 | WD30PURX-64PFUY0 | WD40EURX-63T0FY0 | WD40PURX-64WRWY0 | WD4NPURX-64TPFY0 | WD40PURX-64N96Y0 |
| | Interface | SATA 3Gb/s | SATA 3Gb/s | SATA 6Gb/s |
| | Buffer | 8MB | 64MB |
| DVR | SHR-6040/6042 | ✓ | | | | | | | | | |
| | SVR-1670 | ✓ | ✓ | | | | | | | | |
| | SVR-3200/480 | ✓ | ✓ | | | | | | | | |
| | SVR-1645/1660 | | ✓ | | | | | | | | |
| | SRD-1670D | | | Not Supported |
| | SRD-1630D | | | Not Supported |
| | SRD-1652D | | | Not Supported |
| | SRD-852D | | | Not Supported |
| | SRD-1640/840 | | | ✓ | ✓ | v1.30(↑) | v1.30(↑) | v1.30(↑) | v1.30(↑) | | |
| | SRD-1680D | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SRD-880D | | | | | | | | | | |
| | SRD-470D | | | v1.34(↑) | v1.34(↑) | v1.34(↑) | v1.34(↑) | v1.34(↑) | v1.34(↑) | | |
| | SRD-440 | | | ✓ | ✓ | v1.30(↑) | v1.30(↑) | v1.30(↑) | v1.30(↑) | | |
| | SRD-473D | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | SRD-1673DU | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SRD-442 | | | ✓ | ✓ | v1.30(↑) | v1.30(↑) | v1.30(↑) | v1.30(↑) | | |
| | SRD-443 | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| AIO | SDR-5200 | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| NVR | SNR-6400/3200 | | ✓ | | | | | | | | |
| | SNR-6450/3250 | | ✓ | | | | | | | | |
| | SRN-470D | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | SRN-1670D | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SRN-1000 | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | SRN-472S | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Storage | SVS-5E | | | | ✓ | | ✓ | | | | |

A5.4 Western Digital (5 ~ 8 TB)

27

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|---------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---------------|---|----|
| HDD | Capacity | 5 TB | 5 TB | 6 TB | 6 TB | 6 TB | 6 TB | 8 TB | | | |
| | Series name | WD Purple | WD Purple | WD Purple | WD Purple | WD Purple NV | WD Purple | WD Purple | | | |
| | Model name | WD50PURX-64LZMY0 | WD50PURX-64T0ZY0 | WD60PURX-64LZMY0 | WD60PURX-64T0ZY0 | WD6NPURX-64JC5Y0 | WD60PURX-64WC5Y0 | WD80PUZX-64NEAY0 | | | |
| | Interface | SATA 6Gb/s | | | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | 64MB | 64MB | 128MB | | | |
| DVR | SRD-1670D | Not Supported | | | |
| | SRD-1630D | Not Supported | | | |
| | SRD-1652D | Not Supported | | | |
| | SRD-852D | | | | | | | | | | |
| | SRD-1640/840 | v1.30(↑) | v1.30(↑) | v1.30(↑) | v1.30(↑) | | | | Not Supported | | |
| | SRD-1680D | ✓ | ✓ | ✓ | ✓ | ✓ | | | Not Supported | | |
| | SRD-880D | | | | | | | | | | |
| | SRD-470D | v1.34(↑) | | v1.34(↑) | | | | | Not Supported | | |
| | SRD-440 | v1.30(↑) | | v1.30(↑) | | | | | Not Supported | | |
| | SRD-473D | ✓ | | ✓ | | | | | Not Supported | | |
| | SRD-1673DU | ✓ | ✓ | ✓ | ✓ | ✓ | | | Not Supported | | |
| | SRD-442 | v1.30(↑) | v1.30(↑) | v1.30(↑) | | | | | Not Supported | | |
| | SRD-443 | ✓ | | ✓ | ✓ | | | | Not Supported | | |
| AIO | SDR-5200 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | Not Supported | | |
| NVR | SNR-6400/3200 | | | | | | | | Not Supported | | |
| | SNR-6450/3250 | | | | | | | | Not Supported | | |
| | SRN-470D | ✓ | ✓ | ✓ | ✓ | | | | Not Supported | | |
| | SRN-1670D | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | Not Supported | | |
| | SRN-1000 | v1.52(↑) | v1.52(↑) | v1.52(↑) | v1.52(↑) | v1.52(↑) | v1.52(↑) | | Not Supported | | |
| | SRN-472S | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | Not Supported | | |

Appendix 5. Discontinued Models List (Western Digital)

Status

EOL

Conditional

Not Supported

A5.5 Western Digital (1 ~ 2 TB)

28

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----|
| HDD | Capacity | 1 TB | 1 TB | 1 TB | 1 TB | 2 TB | 2 TB | 2 TB | 2 TB | | |
| | Series name | WD Purple | | |
| | Model name | WD10PURX-64E5EY0 | WD10PURX-64KC9Y0 | WD10PURZ-85U8XY0 | WD10EJRX-89N74Y0 | WD20PURX-64P6ZY0 | WD20PURZ-64PFUY0 | WD20PURZ-85GU6Y0 | WD20EJRX-89G3VY0 | | |
| | Interface | SATA 6Gb/s | | |
| | Buffer | 64MB | | |
| DVR | SRD-1642 SRD-456 SDR-5102 /C5300/B3300 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-842 SRD-445 SDR-4102 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-1673D /1673/1653D /873D, SRD-1654D/854D | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-1676D/676 SRD-1656D/ 1656/876D/876/ 856 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-894 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| AIO | SNR-D5401 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| NVR | SRK-3030S /3040S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRN-4000 | √ | √ | √ | √ | √ | √ | √ | √ | | |

A5.6 Western Digital (3 ~ 4 TB)

28

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----|
| HDD | Capacity | 3 TB | 3 TB | 3 TB | 3 TB | 4 TB | 4 TB | 4 TB | 4 TB | | |
| | Series name | WD Purple | | |
| | Model name | WD30PURX-64P6ZY0 | WD30PURX-64PFUY0 | WD30PURZ-85GU6Y0 | WD30EJRX-89G3VY0 | WD40PURX-64NZ6Y0 | WD40PURZ-64N96Y0 | WD40PURZ-85TTDY0 | WD40EJRX-89T1XY0 | | |
| | Interface | SATA 6Gb/s | | |
| | Buffer | 64MB | | |
| DVR | SRD-1642 SRD-456 SDR-5102 /C5300/B3300 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-842 SRD-445 SDR-4102 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-1673D /1673/1653D /873D, SRD-1654D/854D | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-1676D/676 SRD-1656D/ 1656/876D/876/ 856 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRD-894 | √ | √ | √ | √ | √ | √ | √ | √ | | |
| AIO | SNR-D5401 | √ | √ | √ | √ | | | | | | |
| NVR | SRK-3030S /3040S | √ | √ | √ | √ | √ | √ | √ | √ | | |
| | SRN-4000 | √ | √ | √ | √ | v2.10(↑) | v2.10(↑) | v2.10(↑) | v2.10(↑) | | |

Appendix 5. Discontinued Models List (Western Digital)

Status

EOL

Conditional

Not Supported

A5.7 Western Digital (6 ~ 8 TB)

29

| | NO | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----|
| HDD | Capacity | 6 TB | 6 TB | 6 TB | 6 TB | 8 TB | 8 TB | 8 TB | 8 TB | | |
| | Series name | WD Purple | | |
| | Model name | WD60PURX-64T0ZY1 | WD60PURX-64WY0Y1 | WD60PURZ-85ZUFY1 | WD60EJRX-89MP9Y1 | WD80PUZX-64NEAY0 | WD80PURX-64WS3Y0 | WD80PURZ-85YNPY0 | WD80EJRX-89TA5Y0 | | |
| | Interface | SATA 6Gb/s | | |
| | Buffer | 64MB | 64MB | 64MB | 64MB | 128MB | 128MB | 128MB | 128MB | | |
| DVR | SRD-1642 SRD-456 SDR-5102 /C5300/B3300 | √ | √ | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | |
| | SRD-842 SRD-445 SDR-4102 | √ | √ | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | |
| | SRD-1673D /1673/1653D /873D, SRD-1654D/854D | √ | √ | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | |
| | SRD-1676D/676 SRD-1656D/ 1656/876D/876/ 856 | √ | √ | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | |
| | SRD-894 | √ | √ | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | |
| AIO | SNR-D5401 | | | | | Not Supported | Not Supported | Not Supported | Not Supported | | |
| NVR | SRK-3030S /3040S | √ | √ | √ | √ | Not Supported | Not Supported | Not Supported | Not Supported | | |
| | SRN-4000 | v2.10(↑) | v2.10(↑) | v2.10(↑) | v2.10(↑) | Not Supported | Not Supported | Not Supported | Not Supported | | |

Revision History

| Version | Date | Changes | Remark |
|---------|-----------|--|--------|
| Rev 9.5 | 2020.2.03 | <p>※ TEST HDD</p> <ul style="list-style-type: none">- XRN-2011 : HUS726T6TALE6L4(6TB), HUS726T4TALE6L4(4TB)- PRN-4011: HUS728T8TALE6L4 (8TB), HUS726T6TALE6L4(6TB), HUS726T4TALE6L4(4TB)- SRB-160S : HUS728T8TALE6L4 (8TB), HUS726T6TALE6L4(6TB), HUS726T4TALE6L4(4TB)- HRX-1621 : WD20PURX-64PFUY0, WD20PURZ-85GU6Y0, WD20EJRX-89G3VY0 (2T)- HRX-1620 : WD20PURX-64PFUY0, WD20PURZ-85GU6Y0, WD20EJRX-89G3VY0 (2T) <p>※ New model : LRN-1610S, LRN-810S, LRN-410S, QRN-820S, QRN-420S</p> <p>※ Discontinued Model Group : SRD-1676D, SRD-894, SRN-4000</p> | |