

DS-PM1-I16O2-WE Wireless Multi IO Transmitter



- 868MHz two-way wireless communication
- LED display, show the real status of device
- With 16 onboard inputs and 2 outputs, can be applied to connect wired detectors
- With two 12v power outputs, can be used to power up external wired detectors
- Large space for back up storage battery



▪ Specification

Model		DS-PM1-I16O2-WE
Software features	End of Line Resistance	1k 2.2k 4.7k 8.2k NO/NC
	Serial port	1
Hardware features	Battery port	1, 12 VDC input
	Tamper-Proof	Front and rear
	Power switch	1
	Alarm input	16
	Alarm output	2
	Power Output	2 (12v, total1A)
	Battery type	Compatible with 12v 7 Ah 150 × 64 × 94 mm
Electrical characteristics	Power supply	100-240VAC, 30w
	Operation humidity	10%~90%
	Operation temperature	-10°C ~ 55°C
	Power consumption	Battery Supply: Quiescent current (50mA), Max current (1500mA), Voltage (13.8V) 220V Supply: Quiescent current (45mA), Max current (300mA), Voltage (220V)
	Battery life span	Up to 36 hours
	RF frequency	868MHz
Wireless transmission	RF method	Two-way communication
	RF modulation	2GFSK
	RF distance	1100m
	Indicator	3: Power (Green) , Fault (Amber) , Signal Strength (Green/Red)
General	Installation method	Wall Mounting
	Dimension(Wx HxD)	261*199*86.4mm
	Shell material	Plastic
	Color	White
	Weight	975 g (without battery) 3024g (with battery)

▪ Available Model

DS-PM1-I16O2-WE

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
sateru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com